



## HONDA INSTALLATION INSTRUCTIONS

Accessory

THIRD ROW SEAT COVERS  
P/N 08P32-THR-100F

Application

2022 ODYSSEY

Publications No.


VERSION 1

Issue Date


JAN 2021

### PARTS LIST

Third row seat covers



### Illustration of the Third Row Seat Covers in the Vehicle




### INSTALLATION

#### NOTE:


- Do not damage the vehicle during installation.
- Do not install the seat covers on the front seats. Covering the front seat may prevent the side airbag from inflating during a side impact.
- Identify each seat cover by the tags on the back.

### Installing the Third Row Seat Covers


1. Fold the third row seat-backs half way down. While pressing the head restraint guide buttons, remove the two head restraints and center head restraint by pulling them upward. Then, raise the third row seat-backs.




2. Fit the two head restraint covers and center head restraint cover onto the two head restraints and center head restraint.




3. Fit the right third row seat cushion cover onto the right third row seat cushion.




4. Secure the right third row seat cushion cover to the right third row seat cushion with two fasteners.




5. Secure the right third row seat cushion cover to the right third row seat cushion with two fasteners.




6. Release the strap from the fastener on the right third row seat-back. Fit the right third row seat-back cover onto the right third row seat-back. Pull out the straps from the holes on the right third row seat-back cover. Insert the right third row seat-back cover under each head restraint guide.




7. Secure the right third row seat-back cover with one fastener.




8. Secure the strap to the right third row seat-back cover with one fastener.
9. Fit the left third row seat cushion cover onto the left third row seat cushion.




10. Secure the left third row seat cushion cover to the left third row seat cushion with two fasteners.




11. Secure the left third row seat cushion cover to the left third row seat cushion with two fasteners.



12. Release the strap from the fastener on the left third row seat-back. Fit the left third row seat-back cover onto the left third row seat-back. Pull out the straps from the holes on the left third row seat-back cover. Insert the left third row seat-back cover under each head restraint guide.



13. Secure the left third row seat-back cover with one fastener.



14. Secure the strap to the left third row seat-back cover with one fastener.
15. Install the two head restraints and center head restraint.