IDEMITSU

Revision Date:

SAFETY DATA SHEET

Product Name:

24-May-2017

Honda VTM-4 Differential Fluid (U.S.), 6 X 1 Gallon Case

8







Revision Number: 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1 1Product Identifier

Product Name: Honda VTM-4 Differential Fluid (U.S.), 6 X 1 Gallon Case

Other means of identification

Product Code: 34055114-79200C020

Synonyms Not available

1.2 Recommended use of the chemical and restrictions on use

Recommended Use Automotive Lubricant

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufactured by Idemitsu Lubricants America Corporation

701 Port Rd., Jeffersonville, IN. 47130

Telephone: 812-285-8234, Fax: 812-285-8243,

Contact Name: Robin Hutchens, Email: sds@ilacorp.com

24 Hour Emergency Phone Number: Within USA and Canada: 1 800-424-9300

Outside USA and Canada: + 1 703-741-5970 (collect calls

accepted)

''

2. HAZARDS IDENTIFICATION

2.1 Classification

This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and WHMIS 2015

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Acute Toxicity - Inhalation (Gases)	Not classified
Acute Toxicity - Inhalation (Vapors)	Not classified
Acute Toxicity - Inhalation (Dusts/Mists)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/eye irritation	Not classified
Respiratory sensitization	Not classified
Skin sensitization	Category 1
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Category 2 Testes
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration toxicity	Not classified
Physical Hazards	Not classified
Physical Hazards	None

2.2. Label elements



Signal word	Warning

Hazard statements H317 - May cause an allergic skin reaction

H361 - Suspected of damaging fertility or the unborn child if

swallowed

Precautionary Statements - Prevention: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read

Revision Date: 24-May-2017

and understood

P280 - Wear protective gloves/protective clothing and eye/face

protection

P261 - Avoid breathing dust, fume, gas, mist, vapors or spray

P272 - Contaminated work clothing should not be allowed out of

the workplace

Precautionary Statements - Response: P308 + P313 - IF exposed or concerned: Get medical

advice/attention

P321 - Specific treatment (see supplemental first aid instructions

on this label)

P362 + P364 - Take off all contaminated clothing and wash it

before reuse

Skin P302 + 352 - IF ON SKIN: Wash with plenty of soap and water

P363 - Wash contaminated clothing before reuse

P333 + P313 - If skin irritation or rash occurs: Get medical

advice/attention

Revision Date: 24-May-2017

Precautionary Statements - Storage: P405 - Store locked up

Precautionary Statements - Disposal: P501 - Dispose of contents/ container to an approved waste

disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

2.3 Other information

Other hazards • May be harmful in contact with skin

May be harmful if swallowed

· Harmful to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous Components

Chemical Name	CAS No.	Weight-%	US GHS Classification	Notes
Tricresylphosphate	1330-78-5	<1	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Reproductive 2 (H361)	
			Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	
N-Phenyl-1-naphthylamine	90-30-2	<1	STOT RE 2 (H373) Skin Sens. 1 (H317) Acute Tox. 4 (H302) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	

Non-Hazardous Components

Chemical Name	CAS No.	Weight-%	
Lubricating Base Stocks	Mixture	80-90	

4. FIRST AID MEASURES

4.1 First Aid Measures

General Advice If symptoms persist, call a physician. Take a copy of the Safety Data Sheet when going for

medical treatment.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before re-use. Call a physician

immediately.

Inhalation In case of inadequate ventilation wear respiratory protection. If breathing difficulties

develop, move victim away from source of exposure and into fresh air in a position comfortable for breathing. If unconscious place in recovery position and seek medical advice. Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

Revision Date: 24-May-2017

artificial respiration. Call a physician immediately.

Ingestion Do not induce vomiting without medical advice. If vomiting occurs naturally, have casualty

lean forward to reduce the risk of aspiration. Rinse mouth. Never give anything by mouth to

an unconscious person. Call a physician or poison control center immediately.

Protection of First-aidersUse personal protective equipment. Avoid contact with eyes, skin and clothing.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammable Properties NFPA: Class IIIB Combustible Liquid

5.1 Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment

Unsuitable Extinguishing Media: Do not use a solid water stream as it may scatter and spread fire.

5.2 Specific Hazards Arising from the Chemical Keep product and empty container away from heat and sources

of ignition.

Hazardous combustion products: During a fire, smoke may contain the original material in addition

to combustion products of varying composition which may be toxic and / or irritating. Combustion products may include and

are not limited to: Carbon oxides

Calcium Oxides (CaOx)
Oxides of Magnesium

Nitrogen oxides (NOx) Oxides of Phosphorus

Sulphur oxides Zinc oxides

5.3 Protective Equipment and Precautions for Firefighters As in a

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and

full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Use personal

protection recommended in Section 8. Ensure adequate ventilation. Remove all sources of

ignition.

6.2 Environmental Precautions

Environmental Precautions See section 12 for additional ecological information. Prevent further leakage or spillage if

safe to do so. Prevent product from entering drains. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Large Spills: Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.

Revision Date: 24-May-2017

6.3 Methods and material for containment and cleaning up

Methods for Clean-up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceus earth, vermiculite) and place in container for disposal according to local /

national regulations (see section 13).

Spill Management

LARGE SPILLS Eliminate sources of ignition. Prevent additional discharge of material if possible to do so

without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section 15 Regulatory Information) notify

the National Response Center.

WATER SPILLS Prevent liquid entering sewers, watercourses, or low areas. Contain spilled liquid with sand

or earth. Recover by pumping or with suitable absorbent. If liquid is too viscous for pumping, scrape up. Consult an expert on disposal of recovered material and ensure

conformity to local disposal regulations.

HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling Obtain special instructions before use. Do not handle until all

safety precautions have been read and understood. Do not breathe dusts or mists. Avoid contact with eyes, skin and clothing. Use personal protection recommended in Section 8. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not eat, drink or

smoke when using this product.

Safe Handling Advice Handle in accordance with good industrial hygiene and safety

practices. Take precautionary measures against static

discharges.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep in properly labeled containers. Keep container tightly closed

in a dry and well-ventilated place.

Technical measures/Precautions Ensure adequate ventilation. To avoid ignition of vapors by static

electricity discharge, all metal parts of the equipment must be

grounded.

Incompatible Materials and/or Coatings No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Revision Date: 24-May-2017

Other Exposure Guidelines (If Generated)

Chemical Name	OSHA PEL	ACGIH TLV	ACGIH OEL (STEL)	NIOSHT REL TWA	ILA IHG	ILA ROEG	ILA Internal Exposure Limit
Oil mist, mineral	TWA: 5 mg/m³	TWA: 5 mg/m³		TWA 5 mg/m ³ ST 10 mg/m ³			

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal Protective Equipment

Eye/face protection S

Safety glasses equipped with side shields are recommended as minimum protection in industrial settings. If splashes are likely to occur wear tight fitting safety goggles and/or face-shield.

Wear protective gloves/clothing. Long sleeved clothing. Choose the appropriate protective clothing / gloves based on the tasks being performed to avoid exposed skin surfaces.

Glove Type: Neoprene, Nitriles

Respiratory protection

Skin protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Clean equipment, work area and clothing regularly. When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Red / Clear Physical State Liquid Odor Mild

Odor Threshold

No information available

pH Not applicableMelting point / melting range Not applicable

Boiling point / boiling range

No information available

Flash Point

No information available

> 170 °C / 338 °F COC ASTM D92

Evaporation Rate

Flammability Limit in Air

Explosion Limits

Vapor Pressure

Vapor Density (Air)

No information available

Revision Date: 24-May-2017

Density0.86 g/cm³ @15°CSolubilityNo information availablePartition Coefficient (n-octanol/water)No information availableAutoignition TemperatureNo information availableDecomposing TemperatureNo information available

© 40C = 30.91 cSt; @ 100C = 7.32 cSt

Other Information

10. STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity The product is chemically stable

10.2 Chemical stability

Chemical Stability Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerisation does not occur.

10.4 Conditions to Avoid

Conditions to Avoid Heat, flames and sparks.

10.5 Incompatible Materials

Incompatible Materials Strong oxidizing agents.

10.6 Hazardous Decomposition Products

Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and

vapors.

11. TOXICOLOGICAL INFORMATION

11.1 Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye contact May cause slight irritation.

Skin Contact May cause skin irritation and/or dermatitis.

Ingestion May be harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tricresylphosphate 1330-78-5	3000 mg/kg (Rat)	3700 mg/kg (Rabbit)	
N-Phenyl-1-naphthylamine 90-30-2	= 1625 mg/kg (Rat)	> 5,000 mg/kg (Rat)	

11.2 11.2 Information on toxicological effects

Symptoms No information available

Revision Date: 24-May-2017

11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

Not classified.

Sensitization Not classified.

Mutagenic effects Not classified.

11.4 Carcinogenicity

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as

a known or anticipated carcinogen by NTP, IARC, OSHA or ACGIH.

Legend:

NTP (National Toxicology Program) ACGIH (American Conference of Governmental Industrial Hygienists) IARC (International Agency for Research on Cancer) OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive Effects Suspected of damaging fertility or the unborn child if swallowed.

Developmental Effects

STOT - single exposure

Not classified.

STOT - repeated exposure

Not classified

Not classified

Not classified

11.5 Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

Product Information (Estimated):

 ATEmix (oral)
 > 5,000 mg/kg

 ATEmix (dermal)
 > 2,000 mg/kg

 ATEmix (inhalation-dust/mist)
 > 5 mg/l

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Ecotoxicity effects Harmful to aquatic life. Plants and animals may experience harmful or fatal effects when

coated with petroleum products. Petroleum-based (mineral) lubricating oils normally will float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway may be

sufficient to cause a fish kill or create an anaerobic environment.

Unknown aquatic toxicity 9.79 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment

12.2 Persistence and degradability No information available.

12.3 Bioaccumulation/Accumulation

12.4. Mobility in soil No information available

PBT and vPvB assessment No information available

12.5 12.5 Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Hazard characteristic and regulatory waste stream classification can change with product use. Accordingly, it is the responsibility of the user to determine the proper storage, transportation, treatment and/or disposal methodologies for spent materials and residues at the time of disposition.

Waste Disposal Method This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

Revision Date: 24-May-2017

regulations for additional requirements.

Dispose of in accordance with local regulations. Contaminated packaging

14.TRANSPORT INFORMATION

DOT - Non bulk Not regulated

Not regulated DOT - Bulk

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	All ingredients are on the inventory or exempt from listing				
DSL	All ingredients are on the inventory or exempt from listing				
NDSL	There are ingredients listed on the NDSL Inventory List				
Chemical Name	NDSL CAS No. Weight-%				
O.M. and a first and a first in A.O.A. this all	07500.40.0	0.4			

2-Mercapto-5-tert-nonyldithio-1,3,4-thiadiazole 97503-12-3

ELINCS	Not Listed			
ENCS	All ingredients are on the inventory or exempt from listing			
CHINA	All ingredients are on the inventory or exempt from listing			
KECL	All ingredients are on the inventory or exempt from listing			
PICCS	Does not comply			
AICS	All ingredients are on the inventory or exempt from listing			
NZIoC	All ingredients are on the inventory or exempt from listing			
REACH	All ingredients are on the inventory or exempt from listing			

USA

Federal Regulations

SARA 313

Revision Date: 24-May-2017

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazardous Categorization

Acute Health HazardSkin Sensitizer Reproductive ToxicityChronic Health HazardSkin Sensitizer Reproductive Toxicity

Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

CERCLA/SARA 302 & 304

Section 302 & 304 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 355.

Chemical Name	CAS No.	Weight-%	RQ	TPQ
Methyl methacrylate	80-62-6	<0.1	RQ 1000lb final RQ	
			RQ 454kg final RQ	
Fumaric acid	110-17-8	<0.1	RQ 5000lb final RQ	
			RQ 2270kg final RQ	
Ethylene diamine	107-15-3	-3 <0.01 RQ 5000lb final RQ		10000 lb TPQ
			RQ 2270kg final RQ	
Aniline	62-53-3	<0.001	RQ 5000lb final RQ	1000 lb TPQ
			RQ 2270kg final RQ	

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS No.	Weight-%	HAPS data
Methyl methacrylate	80-62-6	<0.1	X
Aniline	62-53-3	<0.001	X

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CAS No.	Weight-%	U.S CWA (Clean Water Act)
9-Octadecenoic acid (Z)-, zinc salt	557-07-3	<1	X
Methyl methacrylate	80-62-6	<0.1	X
Fumaric acid	110-17-8	<0.1	X
Ethylene diamine	107-15-3	<0.01	X
Aniline	62-53-3	<0.001	X

State Regulations

California Proposition 65

This product can expose you to a chemical, [Aniline], which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Chemical Name	CAS No.	Weight-%	California Prop. 65	Maximum Allowable Dose for Reproductive	•
				Toxicity	Chemicals
				(MADLS)	(NSRLs)

Gioli, ex i Guilon Gude

Revision Date: 24-May-2017

Aniline	62-53-3	<0.001	Carcinogen	100 µg/day

State Right-to-Know

Chemical Name	CAS No.	Weight-%	New Jersey
Amines, polyethylenepoly-, reaction products	68439-80-5	1-5	X
with succinic anhydride polybutenyl derivitives			
Petroleum distillates, hydrotreated heavy	64742-54-7	<1	X
paraffinic			

Chemical Name	CAS No.	Weight-%	Pennsylvania
Amines, polyethylenepoly-, reaction products	68439-80-5	1-5	X
with succinic anhydride polybutenyl derivitives			

New Jersey Worker and Community Right-to-Know Act:

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. seq., the product is to be identified as follows: PETROLEUM OIL (Lubricating Oil)

Canada

This material has been classified in accordance with the WHMIS 2015 regulation

Chemical Name	CAS No.	Weight-%	NPRI
2,6-di-tert-butyl p-cresol	128-37-0	<1	Listed
Petroleum distillates, hydrotreated light	64742-47-8	<0.1	Listed
Methyl methacrylate	80-62-6	<0.1	Listed
Diphenylamine	122-39-4	<0.01	Listed
Aniline	62-53-3	< 0.001	Listed

Legend

NPRI - National Pollutant Release Inventory

16. OTHER INFORMATION

2 0

NFPA Health: 2 Flammability: 1 Instability: 0

Prepared By Lakyn Neumeyer

Revision Date: 24-May-2017

Revision Summary: New product number

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

(0.5.), 0 X 1 Gallott Case

Revision Date: 24-May-2017

End of Safety Data Sheet