



INSTALLATION INSTRUCTIONS

Accessory
DOOR LINING PROTECTORS
P/N 08Z03-T5A-100

Application
2018 FIT

Publications No.
VERSION 1
Issue Date
JUL 2017

PARTS LIST

Right protector



Left protector



2 Alcohol swabs




TOOLS AND SUPPLIES REQUIRED

Masking tape

The following tool is available through the Honda Tool and Equipment Program. On the iN, click on Service > Service Bay > Tool and Equipment Program, then enter the number under "Search." Or, call 888-424-6857.

Rubber Roller (T/N MHLE54D)

Illustration of the Door Lining Protectors Installed in the Vehicle




QFD00401AT

INSTALLATION


Customer Information: The information in this installation instruction is intended for use only by skilled technicians who have the proper tools, equipment, and training to correctly and safely add equipment to your vehicle. These procedures should not be attempted by "do-it-yourselfers."

NOTE: This door lining protector kit should be installed only if the ambient air temperature is 15°C (60°F) or above.


1. Line up the right protector, and attach masking tape to the right front door lining as shown.




2. Remove the right protector.
3. Peel back the adhesive backings, and tape them to the front surface of the right protector with masking tape.



4. Using an alcohol swab, thoroughly clean the right front door lining where the right protector will attach. Line up the right protector with the right front door lining as shown.




5. While applying light pressure against the right protector, carefully remove the taped adhesive backings.



6. Remove the masking tape.

7. Using the rubber roller, apply firm pressure while rolling, especially at the ends, to set the adhesive.



QFD0404AT

8. Repeat steps 1 through 7 to install the left protector on the left side of the vehicle.