INSTALLATION INSTRUCTIONS

Accessory **REAR SEAT-BACK**

PROTECTORS


2023 HR-V **MODEL SERIES**

Application

Publications No. **VERSION 1**

Issue Date **MAY 2022**

GENERAL VIEW



FOR YOUR SAFETY (Read carefully.)

Warning Symbols

Safety: Your safety, and the safety of others, is important. To help you make informed decisions about service procedures, we have provided safety messages where appropriate. Of course, it is not practical or possible to warn you about all the hazards associated with servicing a vehicle - you must use your own good judgment.

You will find important safety messages preceded by one of following symbols:

^{*}All symbols are not used in all installation instructions.

A DANGER	You will be killed or seriously hurt if you do not follow the instructions.
A WARNING	You can be killed or seriously hurt if you do not follow the instructions.
A CAUTION	You can be hurt if you do not follow the instructions.
NOTICE	Gives advice to prevent damage to the product, vehicle, the environment or other property.
NOTE	Gives helpful information or instructions to be followed when installing this product.
\bigcirc	Indicates a prohibited action.

Procedure and Location Icons

These icons indicate the work location and the worker's point of view.

*All icons are not used in all installation instructions.



The location on the vehicle.



The location in the vehicle. (instrument panel.)



Wear eye protection.



Wear heavy gloves.



Use an assistant.



Place the part on a blanket.



Work perpendicular.



Remove any burrs.



Use touch-up paint and allow to dry.



Tighten to the specified torque.



Apply firm pressure while rolling, especially at the ends, to set the adhesive.



Press firmly.



Clean with isopropyl alcohol.



Return the original part to the customer. (Do not reuse.)

Safety: General

- Be careful not to damage the vehicle or the parts.
- The illustrations may differ slightly from the actual accessory.


PARTS LIST

Protectors Kit (P/N 08P30-3V0-100)


Left rear seat-back protector Right rear seat-back protector Protector Right cargo floor lid protector

INSTALLATION


1. Move the driver's and passenger's seats.




- 2. Fold down the left and right rear seat-backs.
- 3. Remove the protective covers.



4. Secure the left and right rear seat-back protectors.




5. Install the loops.




QL60304CA

- 6. Install the head restraints.
- 7. Remove the protective covers.



8. Install the left and right cargo floor lid protectors.



9. Check the installation condition.

