

Germain Honda of College Hills



INSTALLATION INSTRUCTIONS

Accessory

DOOR LOWER TRIM

Application

2022 PASSPORT


Publications No.

VERSION 1

Issue Date

NOV 2021

GENERAL VIEW



QL42301AG

FOR YOUR SAFETY (Read carefully.)

Warning Symbols

Safety: Your safety, and the safety of others, is important. To help you make informed decisions about service procedures, we have provided safety messages where appropriate. Of course, it is not practical or possible to warn you about all the hazards associated with servicing a vehicle - you must use your own good judgment.

You will find important safety messages preceded by one of following symbols:

*All symbols are not used in all installation instructions.

⚠ DANGER

You will be killed or seriously hurt if you do not follow the instructions.

⚠ WARNING

You can be killed or seriously hurt if you do not follow the instructions.

⚠ CAUTION

You can be hurt if you do not follow the instructions.

NOTICE

Gives advice to prevent damage to the product, vehicle, the environment or other property.

NOTE

Gives helpful information or instructions to be followed when installing this product.



Indicates a prohibited action.

Germain Honda of College Hills

Procedure and Location Icons

These icons indicate the work location and the worker's point of view.

*All icons are not used in all installation instructions.



The location on the vehicle.



The location in the vehicle.
(instrument panel.)



Wear eye protection.



Wear heavy gloves.



Use an assistant.



Place the part on a blanket.



Work perpendicular.



Remove any burrs.



Use touch-up paint and allow to dry.



Tighten to the specified torque.



Apply firm pressure while rolling, especially at the ends, to set the adhesive.



Press firmly.



Clean with isopropyl alcohol.



Return the original part to the customer.
(Do not reuse.)

Safety: General

- Observe all safety notes and precautions described in the service information, in addition to those described in this Installation Instruction. Be extremely careful for your safety and safety of others.
- Be careful not to damage the vehicle or the parts.
- Be extremely careful when handling retaining tabs and clips.
- Note the locations of the parts before removing them so they can be properly installed in their original positions.
- The illustrations may differ slightly from the actual accessory.


Safety: For the Accessory

Always use the parts and tools specified in the installation instructions.

Germain Honda of College Hills

PARTS LIST

Door Lower Trim Kit
(P/N 08F57-TGS-100)
(P/N 08F57-TGS-P00)



REQUIRED TOOLS AND SUPPLIES

Phillips screwdriver


The following tools are available through the Honda Tool and Equipment Program:

- Trim Tool Set (T/N SOJATP2014)
- Plastic Trim Tool (T/N SILTRIMTL10)


Germain Honda of College Hills

INSTALLATION


1. Remove the plastic cap and screw.




2. Remove the left front door lower trim.



3. Remove the clips.




4. Install the clips.





Germain Honda of College Hills

5. Install the new left front door lower trim.



QL42305AG

6. Install the plastic cap.
7. Remove the plastic cap and screw.



SCREW

PLASTIC CAP



CLIP

SCREW

QDN1110AG



8. Remove the left rear door lower trim.




QL42306AG




Germain Honda of College Hills


9. Remove the clips.



10. Install the clips.




11. Install the new left rear door lower trim.



12. Install the plastic cap.

Germain Honda of College Hills

13. Repeat same procedures on the other side.



Q9D1014AM

14. Check that all parts are installed properly.