

Germain Honda of College Hills



INSTALLATION INSTRUCTIONS

Accessory

FRONT SEAT COVERS

Application

2023 PILOT
MODEL SERIES


Publications No.

VERSION 1

Issue Date

NOV 2022

GENERAL VIEW



QM60608BG

FOR YOUR SAFETY (Read carefully.)

Warning Symbols

Safety: Your safety, and the safety of others, is important. To help you make informed decisions about service procedures, we have provided safety messages where appropriate. Of course, it is not practical or possible to warn you about all the hazards associated with servicing a vehicle - you must use your own good judgment.

You will find important safety messages preceded by one of the following symbols:

*All symbols are not used in all installation instructions.

⚠ DANGER

You will be killed or seriously hurt if you do not follow the instructions.

⚠ WARNING

You can be killed or seriously hurt if you do not follow the instructions.

⚠ CAUTION

You can be hurt if you do not follow the instructions.

NOTICE

Gives advice to prevent damage to the product, vehicle, the environment or other property.

NOTE

Gives helpful information or instructions to be followed when installing this product.

Germain Honda of College Hills




Indicates a prohibited action.


Procedure and Location Icons

These icons indicate the work location and the worker's point of view.

*All icons are not used in all installation instructions.



The location on the vehicle.



The location in the vehicle.
(Instrument panel.)



Wear eye protection.



Wear heavy gloves.



Use an assistant.



Place the part on a blanket.



Work perpendicular.



Remove any burrs.



Use touch-up paint and allow to dry.



Tighten to the specified torque.



Apply firm pressure while rolling, especially at the ends, to set the adhesive.



Press firmly.



Clean with isopropyl alcohol.



Return the original part to the customer.
(Do not reuse.)

Safety: General


- Observe all safety notes and precautions described in the service information, in addition to those described in this Installation Instruction. Be extremely careful for your safety and safety of others.
- Be careful not to damage the vehicle or the parts.
- Note the locations of the parts before removing them so they can be properly installed in their original positions.
- The illustrations may differ slightly from the actual accessory.

PARTS LIST

Front Seat Covers Kit (P/N 08P32-T90-100A)

Germain Honda of College Hills


Head restraint covers
(2)



Driver's seat-back cover



Driver's seat cushion cover




Passenger's seat-back cover




Germain Honda of College Hills

Passenger's seat
cushion cover



Accessory User's
Information Manual




INSTALLATION


WARNING

Improper installation of the front seat covers may inhibit functionality and effectiveness of the side airbags.

1. Make sure to identify the installation position of each seat cover by referring to the position (identification) label of the cover.
2. Remove the head restraint.




HEAD RESTRAINT



BUTTON

HEAD
RESTRAINT
GUIDE

HEAD RESTRAINT



DRIVER'S SEAT


QM60609AG

3. Install the driver's seat-back cover.

NOTE



- Make sure to check the identification label before installation.
- Make sure the seat-back cover open section is fitted along the seams on the outboard side of the seat-back.
- Make sure the seat-back cover does not encroach rearward of the seat-back side bolster seams.

Germain Honda of College Hills



Germain Honda of College Hills

4. Insert the driver's seat-back cover pocket.




QM60612BG

5. Secure the driver's seat-back cover.

NOTE

- Make sure the seat-back cover open section is fitted along the seams on the outboard side of the seat-back.
- Make sure the seat-back cover does not encroach rearward of the seat-back side bolster seams.

Germain Honda of College Hills





This area must not be covered.

QM60613BG

6. Install the driver's seat cushion cover.

NOTE

Make sure to check the identification label before installation.



QM90804AB


7. Secure the driver's seat cushion cover.

Germain Honda of College Hills

FASTENER


OPPOSITE SIDE VIEW

DRIVER'S SEAT
CUSHION COVER



SEAT BELT
BUCKLE

SEAT BELT
LOOP




QM60611BG

8. Check the installation condition.


NOTE

- Make sure the seat-back cover open section is fitted along the seams on the outboard side of the seat-back.
- Make sure the seat-back cover does not encroach rearward of the seat-back side bolster seams.



QM90805AB


9. Install the head restraint.
10. Install the head restraint cover.



QM60614BG

11. Repeat the same procedures on the other side.

Germain Honda of College Hills



Q9D1014AM

12. Check that all parts are installed properly.
13. Give the Accessory User's Information Manual to the customer.