



INSTALLATION INSTRUCTIONS

Accessory
CD PLAYER

Application
2020 RIDGELINE

Publications No.
VERSION 1
Issue Date
NOV 2019

PARTS LIST

Attachment Kit
P/N 08A06-TG7-101

Left bracket



Right bracket



4 Flange bolts, 5 x 7 mm



2 Bolts, 6 mm



Accessory socket and 1 USB socket holder
(May not be used)



Accessory socket holder
(May not be used)



Accessory socket and 2 USB socket holder
(Not used)



CD Player Kit
P/N 08A06-TG7-100A

CD Player unit



TOOLS AND SUPPLIES REQUIRED

Phillips screwdriver

Ratchet

8 mm Socket

10 mm Open end wrench

EXTERNAL TORX wrench

Shop towel

The following tools are available through the Honda Tool and Equipment Program. On the iN, click on Service > Service Bay > Tool and Equipment Program, then enter the number under "Search." Or, call 888-424-6857.

- Trim Tool Set (T/N SOJATP2014)
- Plastic Trim Tool (T/N SILTRIMTL10)

Illustration of the CD Player Unit on the Vehicle



CD PLAYER UNIT



QDN2701AG

INSTALLATION

Customer Information: The information in this installation instruction is intended for use only by skilled technicians who have the proper tools, equipment, and training to correctly and safely add equipment to your vehicle. These procedures should not be attempted by “do-it-yourselfers.”


1. Disconnect the negative cable from the battery:
 - Wrap a shop towel around the hood latch.

HOOD LATCH
(Wrap with a shop towel.)




QE01402BB

- Remove the front bulkhead cover.




QE01403AB

- Remove the intake air tube.
- Disconnect the negative cable from the battery.




QE01404AB


2. Pull away the door opening seal and remove the passenger's dashboard side lid.




3. Open the glove box.




4. Remove the passenger's lower panel.




5. Pull away the door opening seal and remove the driver's dashboard side lid.




6. Remove the driver's dashboard lower cover and unplug the vehicle connectors and release the vehicle sensor.




7. Remove the center upper panel and unplug the vehicle connector.




8. Remove the center lower panel and unplug the vehicle connectors.




9. Remove the center tray.




10. Remove the lower panel and unplug the vehicle connectors.




11. Remove the seat heater switches or lids.




12. Remove the accessory socket.



13. Install the seat heater switches or lids to the CD player unit with four self-tapping screws removed in step 11.




14. Install the accessory socket and 1 USB socket holder or the accessory socket holder to the CD player unit with eight retaining tabs.




QJ82204AB

15. Install the accessory socket removed in step 12 to the accessory socket and 1 USB socket holder or the accessory socket holder with two retaining tabs.




QJ82205AB

16. Install the left and right brackets to the CD player unit with four 5 x 7 mm flange bolts.



17. Remove the tape to release the vehicle 16-pin connector. Plug the vehicle 16-pin connector into the CD player unit, and secure the vehicle harness to the right bracket with clip on the vehicle harness.



18. Install the CD player unit to the dashboard with four self-tapping screws removed in step 10 and the two 6 mm bolts supplied.

19. Check that all wire harnesses are routed properly and all connectors are plugged in.
20. Install all removed parts except for the front bulkhead cover and the intake air tube.
21. Connect the negative cable to the battery.
22. Install the front bulkhead cover and the intake air tube.
23. Press and hold the audio unit power button for 2 seconds to restore the audio and navi (if equipped) system functions.
24. Set the clock on vehicles without navigation.
25. If necessary, restore the system back to normal operation as described in the service information.

Check the Operation of the CD Player Unit

26. Make sure the CD player unit works as described in the vehicle owner's manual.